## ScanX Swift View 2.0 The flexible digital solution.













# Ready for the dental practices of tomorrow

With innovative and practical solutions, Air Techniques has been pioneering and shaping the field of dental imaging for over six decades. The new ScanX Swift View 2.0 continues to carry in that tradition. Bringing flexibility and ease of use thanks to our extremely thin and flexible IDX PSPs, combined with the help of Artificial Intelligence (AI)

to meet all your intraoral diagnostic imaging needs. In conjunction with the optional ScanX Smart Reader, workflows can be easily automated. Together with superior image quality, the ScanX Swift View 2.0 makes your dental practice sustainably ready for the future, while bringing diagnostic efficiency and reliability to the next level, today.

### Features:

- High-resolution image quality for easier diagnostics
- New "Easy Feed" concept for all intraoral formats (0, 1, 2, 3, 4) IDX PSPs
- High-resolution glass touchscreen display
- Smart Scan workflow
- Packed with intelligent workflow automation functions in combination with ScanX IDX PSPs and VisionX AI software

### Your truly wireless solution.

## It's the format that matters!

With our extensive portfolio of sizes (Size 0 – Size 4) you always have the correct format to handle all your imaging needs.



The ScanX Swift View 2.0 achieves its best possible performance in conjunction with ScanX IDX PSPs. These thin, flexible, and wireless IDX PSPs offer superior durability, unmatched patient comfort and ease-ofuse. With 100% active image area from edge-to-edge, available in all intraoral formats 0-4, they are a perfect fit for all patients, young and old, yielding maximum flexibility for your practice.



### Intelligent PSPs with AI functions

The IDX PSPs offer an extensive package of intelligent automation functions in combination with VisionX AI.

## Excellent image quality with 100 % active area

With 100% edge-to-edge diagnostics, the IDX PSP active image surface allows for enhanced workflows and reduces the need for image re-takes.















Size 0

• Front-tooth images for children



#### Size 1

- Lateral-tooth or bitewing images for children
- Front-tooth images with wide spacing for adults
- Endo-images with wide spacing



#### Size 2

- Lateral-tooth or bitewing images for adults
- Front-tooth images with wide spacing for adults
- Endo-images with wide spacing

#### Size 3

 Optimized format for bitewing images to increase diagnostic reach



#### Size 4

 Occlusal images to optimally depict e.g. displaced teeth or salivary gland stones

## Add a nice touch of color to your dental practice

### ScanManager for efficient working

Multiple Scan Jobs can be sent simultaneously from different workstations to the ScanX Swift 2.0. Simply select the required Job listed on the display and start scanning your IDX PSPs. Images will automatically appear within the open patient's record back in the operatory.





### Scanning without a PC is possible

Thanks to the Standalone Mode, you can also work independently of the network status. Images can be temporarily stored on-board the internal memory of the device and then later transmitted to the patient's record in the database.



### All intraoral formats

06

ScanX Swift View 2.0 can be used to capture all intraoral image plate formats – from Size 0 to 4.

### Ambient Light

The LED lighting of the ScanX Swift View 2.0 will add a unique and customized touch of color to your practice. You can freely choose a color that best suits the look and feel of your interior design.



# quality

### Large glass touchscreen display

High-resolution display provides an intuitive user interface that is very easy to use.







# Diagnostic image

The ScanX Swift View 2.0 can reliably highlight incipient carious lesions and make the tiniest bone structures visible.

### Wi-Fi capability

The integrated Wi-Fi functionality and the LAN interface make it incredibly flexible and easy to integrate ScanX to your network.



### Smarter workflows with SmartScan

SmartScan Workflow uses automation to make your work more relaxed, more efficient and more reliable.



### 1. Assign the IDX PSP

Use the ScanX Smart Reader to temporarily assign an IDX PSP to a patient in VisionX. This automatically activates the ScanX Swift View 2.0 on the Network and the device is now ready to acquire.



### 2. Scan the IDX PSP

Now scan image plates from different patients in any sequence, one after the other.



### 3. Assess the X-ray image

VisionX automatically assigns the X-ray images to the correct patients.

### Sustainability built in from the start



### **Greener Production**

way possible.



### Greener Products



### Quick and easy scanning

With the new Easy Feed concept, you can scan IDX PSPs very quickly, one after the other. The interchangeable guides make it possible to capture all intraoral phosphor storage plate formats.






All ScanX Swift models are manufactured with sustainability in mind, and with CO<sup>2</sup> neutral production. All divisions of Air Techniques are committed to using resources in the most responsible

With all of our products, it is important for us that we continue to improve energy efficiency and maximize service life by making all our units easy to repair and service. And, of course, last but not least everything is packaged in a safe and eco-friendly way.

## VisionX AI automation included



With the included VisionX software package, you will gain access to powerful AI features that will not only make your day-to-day work in the practice noticeably more efficient but will also significantly increase the reliability of diagnostic work ahead of complicated procedures.



### Automatic image rotation

VisionX uses an algorithm based on AI to check the orientation of intraoral X-ray images on the basis of anatomical features shown and corrects the rotation of the image automatically if needed. This will save you valuable time.



### Wrong side exposure detection

VisionX AI automatically detects if the wrong side of the image plate has been exposed and issues a corresponding warning for the user.

### Automatic PSP quality check

In conjunction with IDX PSPs, VisionX AI performs an automated check of image plate quality on every intraoral image captured. This ensures excellent image quality on a long-term basis.



### VisionX 3D

The package comes with a full 2D and 3D X-ray license for VisionX, which allows you to view and diagnose 2D and 3D image data even without your own dedicated CBCT device.

### Automatic tooth detection/image assignment

Using AI, all displayed teeth are recognized directly after the exposure and stored in the dental chart. This will save you valuable time.



# Facts, figures and accessories at a glance

Display   5" color touchscreen     Plate sizes   \$0, \$1, \$2, \$3, \$4     Theoretical resolution LP/mm (dpi)   40 (2,000)     Effective resolution LP/mm (dpi)   22 (1,100)     Greyscale (bit)   16 (65,536)     Weight (lbs/kg)   11.68 / 5.3     Dimensions (H x W x D inch/mm)   10.75 x 8.31 x 10.16 / 273 x 211 x 258     Standby function   Yes     Interfaces   LAN, WLAN		G8900A ScanX Swift View 2.0
Theoretical resolution LP/mm (dpi) 40 (2,000)   Effective resolution LP/mm (dpi) 22 (1,100)   Greyscale (bit) 16 (65,536)   Weight (lbs/kg) 11.68 / 5.3   Dimensions (H x W x D inch/mm) 10.75 x 8.31 x 10.16 / 273 x 211 x 258   Standby function Yes	Display	5" color touchscreen
Effective resolution LP/mm (dpi)   22 (1,100)     Greyscale (bit)   16 (65,536)     Weight (lbs/kg)   11.68 / 5.3     Dimensions (H x W x D inch/mm)   10.75 x 8.31 x 10.16 / 273 x 211 x 258     Standby function   Yes	Plate sizes	S0, S1, S2, S3, S4
Greyscale (bit)   16 (65,536)     Weight (lbs/kg)   11.68 / 5.3     Dimensions (H x W x D inch/mm)   10.75 x 8.31 x 10.16 / 273 x 211 x 258     Standby function   Yes	Theoretical resolution LP/mm (dpi)	40 (2,000)
Weight (lbs/kg)   11.68 / 5.3     Dimensions (H x W x D inch/mm)   10.75 x 8.31 x 10.16 / 273 x 211 x 258     Standby function   Yes	Effective resolution LP/mm (dpi)	22 (1,100)
Dimensions (H x W x D inch/mm)   10.75 x 8.31 x 10.16 / 273 x 211 x 258     Standby function   Yes	Greyscale (bit)	16 (65,536)
Standby function Yes	Weight (Ibs/kg)	11.68 / 5.3
	Dimensions (H x W x D inch/mm)	10.75 x 8.31 x 10.16 / 273 x 211 x 258
Interfaces LAN, WLAN	Standby function	Yes
	Interfaces	LAN, WLAN



#### SensorX

SensorX offers an effective resolution of 20 LP/mm with particularly fast image availability. The sensor can be connected directly via USB ('Plug & Ray') and is available in two sizes: Size 1 and Size 2.



### ProVecta HD

Perfectly tailored for a digital workflow with PSPs, Intraoral Sensors and even Traditional Film.



Phosphor storage Plate Cleaning Wipe

Dirt on PSPs will show up in the images and shorten their service life. ScanX PSP Cleaning Wipes provides intensive cleaning for the image plates. Advantage: longlasting, optimum image quality.



### f 🕑 🖸 in

CORPORATE HEADQUARTERS 1295 Walt Whitman Road Melville, New York 11747- 3062 800-247-8324 www.airtechniques.com

ScanX is a registered trademark of Air Techniques, Inc. © Copyright 2024 PN 9922-121 Rev. C

